



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 MultiPurpose Training Door

The MultiPurpose Training Door is designed for Mechanical and Hydraulic Door Breaching. Successful door entry requires that you know exactly how and where to place the tools as well as knowing how to work in the right way as the tool pry's its way in between the door and the frame. The MultiPurpose Training Door is the only training door on the market that meets the requirements for realistic training.



The MultiPurpose Training Door allows the following types of entry training:

1. Outwards-going and Inwards-going doors
2. Opening of wooden doors, security doors, fire doors etc.
3. Opening Doors with a wide variation of locking points and locking mechanisms, and variety of door resistances.

The MultiPurpose Training Door provides effective repeatable training at a value. The doors robust construction and ready availability of replacement wear parts allows for many years of training use.

Replacement parts offered include: Door Case, Door Jams, Door Pins and Door Shims and replacement of other serviceable parts and associated hardware.

The MultiPurpose Training Door contains:

1. 50138 Training Door With A Frame Stand and Associated Assembly Hardware
2. 50231 Quantity of 1 (1 Pack) Training Door Replacement Door Edges
3. 50232 Quantity of 1 (1 Pack) Training Door Replacement Case Edges
4. 50233 Quantity of 1 (25 Pack) Replacement Door Pins
5. 50234 Quantity of 1 (25 Pack) Replacement Door Shims

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER:

50138

MATERIALS

Steel Frame and Stand Construction- Powder Coat Black for Protection Against the Elements

Assembly

Minor Assembly Required for Door Installation and Setup-Instructions Included.

DIMENSIONS

84" H x 50" W x 96" D Footprint when setup

WEIGHT

500 lbs Door and Frame- Without Crate. Crated Shipping Weight: 800lbs with Replacement Part
Crate Size 8' x 2' x 5'

PATENTS/ TRADEMARKS

Patent Pending

LEAD-TIMES

USA-6-8 Weeks, EU, 8-10 Weeks, Rest of World 10-12 weeks-By Ocean Freight

CLOSURES

N/A

CERTIFICATIONS

N/A

PACKAGING

Wood Crate-Shipping Carton-Reusable for Storage or Future Transit

LABELS:

N/A

STOCK SIZES:

N/A

COLORS:

999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: **The 5.11 Heavy Breaching Kit**
 The most complete and versatile breaching kit on the market for entry teams. This backpack contains everything a professional response team needs to quickly and safely enter buildings regardless of door types. The ruggedized steel framed nylon backpack provides a unique way to “SOP” the kit while stowed and deployed.



The Heavy Breaching Kit contains:

1. MultiBreacher - Large Pry with multiple function for substantial mechanical leverage
2. MiniRam - Compact Striking Tool
3. MultiPry - Compact Pry with multiple function for additional desired mechanical leverage
4. EdgeBender - Security plate and door edge bending tool
5. Heavy Kit Bag - Rugged Steel Framed 1050D Nylon Breacher’s Backpack with Shroud Covering

Tool features include:

See Individual Bid Specifications for Styles:
 56993 Heavy Kit Bag
 50091 MiniRam
 50093 MultiPry
 50094 MultiBreacher
 50135 EdgeBender

RESTRICTIONS **RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED**

STYLE NUMBER: **50268**

MATERIALS Kit Items

FEATURES & BENEFITS: The Heavy Breaching Kit is your toolkit of choice for mobility operations with the option to vehicle store and deploys heavier solutions. This large kit maintains more tool types which delivers more force for special breaching situations.

DIMENSIONS 37" H x 14" W x 10" D

WEIGHT 52 lbs, includes Backpack Weight

PATENTS/ TRADEMARKS See Individual Styles

STITCHING & FINISHING: N/A

CLOSURES N/A

CERTIFICATIONS N/A

PACKAGING Plain Corrugate with Identification Label-Items Shipped Individually

LABELS: N/A

STOCK SIZES: N/A

COLORS: 999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 MiniRam Entry Tool

The MiniRam striking tool is optimized to create the maximum striking force while retaining flexibility of use. The weight optimized and balanced MiniRam works as both a traditional ram for knocking in doors and partly as a striking tool for the MultiBreacher. The tool is designed to be able to be used at shoulder height without the weight of traditional rams. The striking head is convex formed like a hammer head. This means that unlike other striking tools, the striking blow does not need to be perpendicular to the striking surface to provide the maximum impact effect.



Tool features include:

A reinforced, weight balanced steel body, integrated with a convex ramming surface and striking hand protection. Ramming surfaces are constructed of a propriety full hardened imported Swedish Steel Alloy for maximum tool life. Sling attachment points are provided to ensure easy individual tool sling carry.

Sling attachment points are provided to ensure easy individual tool sling carry.

Integrated Hand Protection provides improved hand and knuckle protection in use.

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER: 50091

MATERIALS Steel body with drop TacForged™ Full Hardened Steel Alloy convex striking surface

FEATURES & BENEFITS: Full Hardened Steel Striking Surfaces 55-HRC Hardness Rockwell C-Scale
Sling Attachment Points for Easy Carry and Quick Deployment
Impact Ram designed for optimal entry
Imported

DIMENSIONS 17.5" Length

WEIGHT 23.2 lbs

PATENTS/ TRADEMARKS Patent Pending

STITCHING & FINISHING: N/A

CLOSURES N/A

CERTIFICATIONS N/A

PACKAGING Plain Corrugate with Identification Label

LABELS: N/A

STOCK SIZES: N/A

COLORS: 999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 MultiPry Entry Tool

The MultiPry™ separates itself from any other pry on the market. Like its bigger brother, the MultiBreacher™, the MultiPry™ has a unique head-design. With this small and very lightweight tool, you can open inward and outward swinging doors in all types of environments when used with the MultiSledge. The shaft handle design, made of high-strength hydraulic pipe steel, makes the tool superiorly strong, yet lightweight.



Tool features include:

Hydraulic pipe steel shaft for strength combined with a duckbill serrated edged, wedge shaped working end and forked pry tool on opposite side.

Tool ends are constructed of a TacForged Steel a propriety full hardened imported Swedish Steel Alloy for maximum tool life. The Tool provides maximum mechanical advantage to the door without inducing any spring tension into the tool.

The MultiPry's design ensures optimal bite of the tool with its unique serrated wedge shaped head providing extreme case displacement and zero slippage of the tool while in the door frame. Ensures reduced time on the breaching site and maximum tool leverage in critical situations.

Sling attachment points are provided to ensure easy individual tool sling carry.

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER:

50093

MATERIALS

Hydraulic Pipe Steel Shaft with Drop Forged TacForged™ Full Hardened Steel Alloy Wedge

FEATURES & BENEFITS:

Full Hardened Steel Heads 55-HRC Hardness Rockwell C-Scale
Hydraulic Pipe Steel Shaft-Prevents Spring Tension Buildup on Tool Shaft
Sling Attachment Points for Easy Carry and Quick Deployment
Sharpened Forked Pry End for Ease of Use
Serrated Wedge Pry for Ease of Door Separation
Imported

DIMENSIONS

28" Length

WEIGHT

5.4 lbs

PATENTS/ TRADEMARKS

Patent Pending

STITCHING & FINISHING:

N/A

CLOSURES

N/A

CERTIFICATIONS

N/A

PACKAGING

Plain Corrugate with Identification Label

LABELS:

N/A

STOCK SIZES:

N/A

COLORS:

999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 MultiBreacher Entry Tool

The design of the tool head makes this tool unique. In just a few seconds it will open both upward and inward opening security doors. Due to its unique construction, the MultiBreacher is the only breaching tool on the market that allows the opening of both outward and inward swinging security doors, fire doors and wooden doors.



Tool features include:

Hydraulic pipe steel shaft for strength and protective hand grip combined with a duckbill shaped, serrated edged, wedge shaped working end and forked pry tool on opposite side.

Tool ends are constructed of a propriety full hardened imported Swedish Steel Alloy for maximum tool life. The Tool provides maximum mechanical advantage to the door without inducing any spring tension into the tool.

The MultiBreacher's design ensures optimal bite of the tool with its unique serrated wedge shaped head providing extreme case displacement and zero slippage of the tool while in the door frame. Ensures reduced time on the breaching site and maximum tool leverage in critical situations.

Sling attachment points are provided to ensure easy individual tool sling carry.

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER:

50094

MATERIALS

Hydraulic Pipe Steel Shaft with Drop Forged TacForged™ Full Hardened Steel Alloy Wedge

FEATURES & BENEFITS:

Full Hardened Steel Heads 55-HRC Hardness Rockwell C-Scale
Hydraulic Pipe Steel Shaft-Prevents Spring Tension Buildup on Tool Shaft
Sling Attachment Points for Easy Carry and Quick Deployment
Sharpened Forked Pry End for Ease of Use
Serrated Wedge Pry for Ease of Door Separation
Imported

DIMENSIONS

32" Length

WEIGHT

8.4 lbs

PATENTS/ TRADEMARKS

Patent Pending

STITCHING & FINISHING:

N/A

CLOSURES

N/A

CERTIFICATIONS

N/A

PACKAGING

Plain Corrugate with Identification Label

LABELS:

N/A

STOCK SIZES:

N/A

COLORS:

999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 EdgeBender Entry Tool

This security plate bypass tool has revolutionized the ability to open outward swinging metal/security doors in a reliable way. With one simple operation the security plate edge is folded out of the way to reveal the gap between the door and the frame. Without this tool there is substantial risk that forcing the door will be completely unsuccessful. This is especially the case for niche mounted doors, where the entry time saved means the difference between life or death.



Tool features include:

Full hardened steel jam vise for superior grip on security plates. Pressure appointed spree handle ensures high even pressure is applied from the tool effortlessly by the operator. Allows for ease of folding back security plates on niche mounted doors in one swift motion.

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER:

50135

MATERIALS

Hydraulic Pipe Steel Shaft with Drop TacForged™ Full Hardened Steel Alloy Vise Surfaces

FEATURES & BENEFITS:

Full Hardened Steel Striking Surfaces 55-HRC Hardness Rockwell C-Scale Imported

DIMENSIONS

17.5" Length

WEIGHT

4.6 lbs

PATENTS/ TRADEMARKS

STITCHING & FINISHING:

N/A

CLOSURES

N/A

CERTIFICATIONS

N/A

PACKAGING

Plain Corrugate with Identification Label

LABELS:

N/A

STOCK SIZES:

N/A

COLORS:

999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 Heavy Kit Bag

Specifically designed to house the Heaver Breaching Kit, this unique backpack allows for standardized operating procedure to be developed around the deployment and storage of the 5.11 breaching tools, Heavy Breaching Kit System.



The Heavy Kit Bag:

1. Secured Storage with quick release lash down locations for the MultiBreacher, MultiPry, MiniRam and EdgeBender Tools
2. Comfort Yoke shoulder strap system for ease of carry with integrated load lifters for personal load adjustment
3. Reinforced Internal steel frame support system with hook and loop retention straps
4. Padded waist band for additional load management and 400lb quick release buckle

RESTRICTIONS **RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED**

STYLE NUMBER: **56993**

MATERIALS 1050D nylon, Main Body Fabric

FEATURES & BENEFITS: Adjustable, dual density closed-cell foam shoulder straps with Duraflex(TM) quick release 400lb load rated hardware; Padded waist belt with 400lb quick release load rated buckle and sternum strap with 200 lb. load rated buckle. Red quick release buttons instantly highlight the opening device in case of emergency. Closed-cell foam back pad; Velcro name tape patch holder; Generous web-platform on three sides with additional attachment points; Top ergonomic grab handle. Features a large main compartment for convenient storage of the breaching tools with reinforced hull and internal steel frame system. Quick release material shroud is instantly removable with "hot pulls" for quick access to all stored tools while providing protection against the elements while stowed. Vehicle mounting quick release clips included.

DIMENSIONS 37" H x 14" W x 10" D

WEIGHT 10.4 lbs, Empty Weight

PATENTS/ TRADEMARKS N/A

STITCHING & FINISHING: N/A

CLOSURES N/A

CERTIFICATIONS N/A

PACKAGING Plain Corrugate with Identification Label-Items Shipped Individually

LABELS: N/A

STOCK SIZES: N/A

COLORS: 019 Black



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 Active Patrol Breaching Kit

The Active Patrol Breaching Kit is the lightest breaching kit available on the market. It is ideal kit for standard use in patrol cars, emergency services, military, etc. After a short training an operator will be able to open outward and inward opening wooden doors, steel doors, security doors and windows. The Nylon stowage case provides a way to "SOP" the tools while stowed and deployed.



The Active Patrol Breaching Kit contains:

1. MultiSledge- A four in one pry tool that allows for ramming, prying, striking and window break n' rake functionality.
2. MultiPry - Compact Pry with multiple function for additional desired mechanical leverage
3. Lite Kit Bag - 1050D Nylon Stowage Case

Tool features include:

See Individual Bid Specifications for Styles:

- 56992 Lite Kit Bag
- 50092 MultiSledge
- 50093 MultiPry

RESTRICTIONS **RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED**

STYLE NUMBER: **50267**

MATERIALS Kit Items

FEATURES & BENEFITS: The Active Patrol Breaching Kit comprised of a two tools intended to reside in the vehicle of every patrol / duty officer. The purpose of this kit is to provide the patrolman with a light-weight set of tools that allows them access to all commercial and residential building response situations where immediate access is required. This unique system allows the user to open outward and inward opening wooden doors, steel doors, security doors and break' n rake glass on all types of windows. The kit includes: The MultiPry, MultiSledge and is carried and stowed while not in use in a durable nylon sling style pack.

DIMENSIONS 29" H x 10" W x 3" D

WEIGHT 12.7 lbs, Includes Stowage Case

PATENTS/ TRADEMARKS See Individual Styles

STITCHING & FINISHING: N/A

CLOSURES N/A

CERTIFICATIONS N/A

PACKAGING Plain Corrugate with Identification Label-Items Shipped Individually

LABELS: N/A

STOCK SIZES: N/A

COLORS: 999 Misc



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 MultiSledge Entry Tool

The MultiSledge™ is unique in the market with its multiple functions. As four tools in one, it can be utilized as a multi-directional hammer, break n' rake, claw pry bar and as a ram. With the "break n' rake" feature, the break tool allows the operator the ability to shatter all types of windows including laminated and security glass, the rake tool pulls glass shard out of the window frame. The claw pry end is used in conjunction with the MultiPry Tool to assist opening of reinforced inward opening doors.



Tool features include:

Hydraulic pipe steel shaft for strength combined with a serrated edged hooked break n' rake shaped working end. And forked pry tool on opposite side. Tool ends are constructed of a propriety full hardened imported Swedish Steel Alloy for maximum tool life. The Tool provides maximum mechanical advantage to the door without inducing any spring tension into the tool.

The MultiSledge's design ensures diverse tool functionality with its unique sledge shaped head providing extreme impact, glass removal and pry capabilities. Ensures reduced time on the breaching site and maximum tool leverage in critical situations. Sling attachment points are provided to ensure easy individual tool sling carry.

RESTRICTIONS

RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED

STYLE NUMBER:

50092

MATERIALS

Hydraulic Pipe Steel Shaft with Drop Forged TacForged™ Full Hardened Steel Alloy

FEATURES & BENEFITS:

Full Hardened Steel Heads 50-HRC Hardness Rockwell C-Scale
Hydraulic Pipe Steel Shaft-Prevents Spring Tension Buildup on Tool Shaft
Sling Attachment Points for Easy Carry and Quick Deployment
Sharpened Forked Pry End for Ease of Use
Impact Sledge designed for optimal entry
Imported

DIMENSIONS

27" Length

WEIGHT

6.8 lbs

PATENTS/ TRADEMARKS

Patent Pending

STITCHING & FINISHING:

N/A

CLOSURES

N/A

CERTIFICATIONS

N/A

PACKAGING

Plain Corrugate with Identification Label

LABELS:

N/A

STOCK SIZES:

N/A

COLORS:

999 MISC



BREACHING TOOL PRODUCT BID SPECIFICATION

PRODUCT DESCRIPTION: The 5.11 Lite Kit Bag

Specifically designed to house the Active Patrol Breaching Kit, a unique simple stowage bag allows for standardized operating procedure to be developed around the deployment and storage of the 5.11 breaching tools, Active Patrol Breaching Kit System.



The Lite Kit Bag:

1. Kit stores two tools for the Active Patrol Breaching kit, nested for simple and quick deployment
2. Secured tool storage- Cover with quick entry double zipper pull
3. Convenient trunk sized breaching kit bag with lash down options
4. Easy carry ambidextrous sling bag style shoulder strap with 400lb load rated quick release buckle

RESTRICTIONS **RESTRICTED SALES ITEM: RESTRICTED SALES TO LAW ENFORCEMENT OFFICER, POLICE / FIRE DEPARTMENT OR AGENCY ONLY - CONFIRMATION REQUIRED**

STYLE NUMBER: **56992**

MATERIALS 1050D nylon, Main Body Fabric

FEATURES & BENEFITS: Adjustable, dual density closed-cell foam sling bag style shoulder strap with Duraflex(TM) quick release 400lb load rated hardware; Red quick release buttons instantly highlight the opening device in case of emergency. Velcro flag patch holder; Generous web-platform on three sides with additional attachment points; Features a streamlined compartment for convenient storage of the breaching tools nested with reinforced toe. Quick release cover with double zipper pull for quick access to tools while providing protection against the elements while stowed.

DIMENSIONS 29" H x 10" W x 3" D

WEIGHT 8oz, Empty Weight

PATENTS/ TRADEMARKS N/A

STITCHING & FINISHING: N/A

CLOSURES N/A

CERTIFICATIONS N/A

PACKAGING Plain Corrugate with Identification Label-Items Shipped Individually

LABELS: N/A

STOCK SIZES: N/A

COLORS: 019 Black